Atlantis

verde 1999®
ITALIAN CERAMICS

Atlantis Nero 60x60cm (24"x24")

Atlantis

Avorio

Atlantis Avorio 30x60cm (12"x24") Lappato

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES

90x90cm (36"x36") **rett/lapp**

60x120cm (24"x48")
rett/lapp

60x60cm (24"x24")
rett/lapp

30x60cm (12"x24")
rett/lapp

7,5x30cm (3"x12")
rett/lapp

15x60cm (6"x24")
rett/lapp

Hexagon
36,9x39,5cm
($14^{1}/_{2}$"x$15^{1}/_{2}$")

Herringbone mix light
avorio-beige-grigio
29,5x35cm
($11^{5}/_{8}$"x$13^{3}/_{4}$")

Mosaico
5x5cm (2"x2")
30x30cm (12"x12")

Battiscopa
7x60cm ($2^{3}/_{4}$"x24") **rett/lapp**
7x90cm ($2^{3}/_{4}$"x36") **rett/lapp**
7x120cm ($2^{3}/_{4}$"x48") **rett/lapp**

Beige

Atlantis Beige 60x120cm (24”x48”)

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES

90x90cm (36”x36”) **rett/lapp**

60x120cm (24”x48”)
rett/lapp

60x60cm (24”x24”)
rett/lapp



30x60cm (12”x24”)
rett/lapp

7,5x30cm (3”x12”)
rett/lapp

15x60cm (6”x24”)
rett/lapp

Hexagon
36,9x39,5cm
($14^{1}/_{2}$”x$15^{1}/_{2}$”)

Herringbone mix light
grigio-beige-avorio
29,5x35cm
($11^{5}/_{8}$”x$13^{3}/_{4}$”)

Mosaico
5x5cm (2”x2”)
30x30cm (12”x12”)

Battiscopa
7x60cm ($2^{3}/_{4}$”x24”) **rett/lapp**
7x90cm ($2^{3}/_{4}$”x36”) **rett/lapp**
7x120cm ($2^{3}/_{4}$”x48”) **rett/lapp**

Grigio

Atlantis Grigio 30x60cm (12"x24")
Herringbone mix light 29,5x35cm ($11^5/_8$"x$13^3/_4$")

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES

90x90cm (36"x36") **rett/lapp**

60x120cm (24"x48")
rett/lapp

60x60cm (24"x24")
rett/lapp



30x60cm (12"x24")
rett/lapp

7,5x30cm (3"x12")
rett/lapp

15x60cm (6"x24")
rett/lapp

Hexagon
36,9x39,5cm
($14^1/_2$"x$15^1/_2$")

Herringbone mix light
avorio-beige-grigio
29,5x35cm
($11^5/_8$"x$13^3/_4$")

Mosaico
5x5cm (2"x2")
30x30cm (12"x12")

Battiscopa
7x60cm ($2^3/_4$"x24") **rett/lapp**
7x90cm ($2^3/_4$"x36") **rett/lapp**
7x120cm ($2^3/_4$"x48") **rett/lapp**

Bronzo

Atlantis Bronzo 60x60cm (24"x24")
15x60cm (6"x24") - 7,5x30cm (3"x12")
Herringbone mix dark 29,5x35cm ($11^{5}/_{8}$"x$13^{3}/_{4}$")

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES



90x90cm (36"x36") **rett/lapp**

60x120cm (24"x48")
rett/lapp



60x60cm (24"x24")
rett/lapp



30x60cm (12"x24")
rett/lapp

7,5x30cm (3"x12")
rett/lapp

15x60cm (6"x24")
rett/lapp

Hexagon
36,9x39,5cm
($14^{1}/_{2}$"x$15^{1}/_{2}$")

Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
($11^{5}/_{8}$"x$13^{3}/_{4}$")



Mosaico
5x5cm (2"x2")
30x30cm (12"x12")

Battiscopa
7x60cm ($2^{3}/_{4}$"x24") **rett/lapp**
7x90cm ($2^{3}/_{4}$"x36") **rett/lapp**
7x120cm ($2^{3}/_{4}$"x48") **rett/lapp**

Antracite

Atlantis Antracite 90x90cm (36”x36”)
Hexagon antracite 36,9x39,5cm (14 1/2”x15 1/2”)

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES



90x90cm (36”x36”) **rett/lapp**

60x120cm (24”x48”)
rett/lapp

60x60cm (24”x24”)
rett/lapp



30x60cm (12”x24”)
rett/lapp

7,5x30cm (3”x12”)
rett/lapp

15x60cm (6”x24”)
rett/lapp

Hexagon
36,9x39,5cm
(14 1/2”x15 1/2”)

Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
(11 5/8”x13 3/4”)

Mosaico
5x5cm (2”x2”)
30x30cm (12”x12”)

Battiscopa
7x60cm (2 3/4”x24”) **rett/lapp**
7x90cm (2 3/4”x36”) **rett/lapp**
7x120cm (2 3/4”x48”) **rett/lapp**

Nero

Atlantis Nero 60x120cm (24”x48”) Lappato

FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES



90x90cm (36”x36”) **rett/lapp**

60x120cm (24”x48”)
rett/lapp



60x60cm (24”x24”)
rett/lapp



30x60cm (12”x24”)
rett/lapp

7,5x30cm (3”x12”)
rett/lapp

15x60cm (6”x24”)
rett/lapp

Hexagon
36,9x39,5cm
($14^{1}/_{2}$”x$15^{1}/_{2}$”)

Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
($11^{5}/_{8}$”x$13^{3}/_{4}$”)



Mosaico
5x5cm (2”x2”)
30x30cm (12”x12”)

Battiscopa
7x60cm ($2^{3}/_{4}$”x24”) **rett/lapp**
7x90cm ($2^{3}/_{4}$”x36”) **rett/lapp**
7x120cm ($2^{3}/_{4}$”x48”) **rett/lapp**

Caratteristiche Tecniche • Technical features • Technische eigenschaften*

Gres porcellanato impasto colorato - Through body porcelain stoneware - Durchgefaerbtes feinsteinzeug - **UGL**

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE - MATT RESULTS - MATT	VALORE - LAPP RESULTS - LAPP
	ISO 10545/3	ASSORBIMENTO D'ACQUA - WATER ABSORPTION ABSORPTION D'EAU - WASSERAUFNAHME	≤ 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/4	RESISTENZA ALLA FLESSIONE - BENDING STRENGTH RESISTANCE A LA FLEXION - BIEGFESTIGKEIT	R ≥ 35 N/mm²	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/8	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFF. BETWEEN 20°C - 100°C COEFF. DE DILATATION THERMIQUE LINEAIRE ENTRE 20°C ET 100°C WÄRMEAUSDEHNUNG ZWISCHEN 20°C UND 100°C	≤ $9x10^{-6}$	$9x10^{-6}xC^{-1}$	$9x10^{-6}xC^{-1}$
	ISO 10545/9	RESISTENZA AGLI SBALZI TERMICI - RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOCS TERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT		RESISTE - RESISTANT RÉSISTE - BESTÄNDIG	RESISTE - RESISTANT RÉSISTE - BESTÄNDIG
	ISO 10545/11	RESISTENZA AL CAVILLO - CRAZING RESISTANCE RESISTANCE AU TRASSAILAGE - HAARRISSFESTIGKEIT		RESISTE - RESISTANT RÉSISTE - BESTÄNDIG	RESISTE - RESISTANT RÉSISTE - BESTÄNDIG
	ISO 10545/14	RESISTENZA ALLE MACCHIE - STAIN RESISTANCE RESISTANCE AUX TACHES - FLECKENFESTIGKEIT	min. Classe 3	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/13	RESISTENZA ALL'ATTACCO CHIMICO - CHEMICAL RESISTANCE RESISTANCE À L'ATTAQUE CHIMIQUE- FÄHIG GEGEN SÄUREN UND LAUGEN	min. B	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	LUNGHEZZA E LARGHEZZA - LENGTH AND WIDTH LONGUEURE ET LARGEUR - LÄNGE UND BREITE	± 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	SPESSORE - THICKNESS EPAISSEUR - STÄRKE	± 5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	ORTOGONALITÀ - WEDGING ORTHOGONALITÉ - RECHTWINKLICHKEIT	± 0,6%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	PLANARITÀ - WARPAGE PLANÉITÉ - EBENFLÄCHIGKEIT	± 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/12	RESISTENZA AL GELO - FROST RESISTANCE RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT		RESISTE - RESISTANT RÉSISTE - BESTÄNDIG	RESISTE - RESISTANT RÉSISTE - BESTÄNDIG
	ISO 10545/6	RESISTENZA ALL'ABRASIONE PROFONDA DEEP ABRASION RESISTANCE RÉSISTENCE À L'ABRASION PROFONDE TIEFENVERSCHLEISSBESTAENDIGKEIT	< 175 mm³	125 mm³	
	BOT 3000 WET DCOF	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE - RESISTANCE AU GLISSEMENT BESTIMMUNG DER RUTSCHEMMENDE EIGENSCHAFT	≥ 0,42	Tile 1: 0,53 Tile 2: 0,54 Tile 3: 0,54	
	DIN 51130 R	water, oil, grease, etc. create slippery conditions. floor applications with exposure to these conditions require extra caution in product selection.		R10	

* These values may vary from lot to lot



SOLUZIONI DI POSA
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
Per una corretta realizzazione si consiglia di posare i formati lunghezza 120 cm e 60 cm, sfalsati a correre al massimo 20 cm o posa pari.

INSTALLATION INFORMATION
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
For 120 cm (48") and 60 cm (24") long tiles, staggering should not exceed 20 cm (8").

VERLEGEBEISPIELE
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
Für einen korrekten und einwandfreien Belag, die Formaten mit 120 cm und 60 cm länge sollten bei der Verlegung maximal 20 cm versetzt sein.

SHADE VARIATION

V2 **SLIGHT/MODERATE**
Product with slight to moderate variation

Noi consigliamo fortemente l'uso di un sistema di posa con distanziatori autolivellanti.

We strongly recommend using a tile edge leveling system during installation.

Wir empfehlen dringend die Verwendung von einem Befestigungssystem mit leveling system.

Il est vivement recommandé l'utilisation d'un système de pose avec des croisillons autonivelant.

IMBALLI PACKAGING

		UNITÀ DI MISURA UNIT OF MEASURES	pezzi pieces	KG	m²		m²	kg
Atlantis Rett/Lapp	**90x90** *(36"x36")*	M²	2	37,11	1,62	18	29,16	667,98
Atlantis Rett/Lapp	**60x120** *(24"x48")*	M²	2	35,90	1,44	22	31,68	789,80
Atlantis Rett/Lapp	**60x60** *(24"x24")*	M²	3	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	**30x60** *(12"x24")*	M²	6	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	**7,5x30** *(3"x12")*	M²	17	9,03	0,38	84	31,92	758,52
Atlantis Rett/Lapp	**15x60** *(6"x24")*	M²	10	21,25	0,90	40	36,00	850,00
Atlantis Mosaico 5x5 (2"x2")	**30x30** *(12"x12")*	FOGLIO/SHEET	8	14,50	0,72	42	30,24	609,00
Atlantis Hexagon	**36,9x39,5** *($14^1/_2$"x$15^1/_2$")*	FOGLIO/SHEET	8	14,50	0,92	42	38,64	609,00
Atlantis Herringbone	**29,5x35** *($11^5/_8$"x$13^3/_4$")*	FOGLIO/SHEET	8	14,50	0,76	42	32,29	609,00
Atlantis Battiscopa Rett/Lapp	**7x60** *($2^3/_4$"x24")*	PZ	15	14,00	-	40	-	560,00
Atlantis Battiscopa Rett/Lapp	**7x90** *($3^3/_4$"x36")*	PZ	6	10,25	-	40	-	410,00
Atlantis Battiscopa Rett/Lapp	**7x120** *($3^3/_4$"x48")*	PZ	6	13,00	-	40	-	520,00

verde 1999 ITALIAN CERAMICS

100% MADE IN ITALY

Ceramics of Italy

Verde 1999 srl - Via Ghiarola Nuova, 158 - 41042 Fiorano Modenese, MO Italy
tel +39 0536 832393 - fax +39 0536 913591 - www.verde1999.com - info@verde1999.com